

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

(Other instructions on
reverse side)

Budget Bureau No. 42-R1423.

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒

DEEPEN ☐

PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☐

GAS
WELL ☒

OTHER

SINGLE
ZONE ☒

MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

Texas Oil & Gas Corp.

3. ADDRESS OF OPERATOR

1800 Lincoln Center Building Denver, Colorado 80264

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface

780'

800' FSL. 800' FEL Section 6 - T16S-R25E
At proposed prod. zone

SE SE

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

34 miles northwest of Mack, Colorado

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

800'

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

N/A

16. NO. OF ACRES IN LEASE

696.98

17. NO. OF ACRES ASSIGNED
TO THIS WELL

320

19. PROPOSED DEPTH

6950

Entered

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

7320' GR

22. APPROX. DATE WORK WILL START*

September 26, 1979

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	9 5/8"	36# H-40	350'	165 SXS
8 3/4"	4 1/2"	10.5# K-55	6950'	380 SXS

7" intermediate casing will be set if required to continue drilling with air.
In this event a 6 1/4" hole will then be drilled to total depth and 4 1/2" casing
will be set with 150 SXS cement.



IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

James H. Menard

TITLE

Safety & Environmental
Administrator

DATE

9/7/79

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

W T Martin

TITLE

ACTING DISTRICT ENGINEER

DATE

SEP 25 1979

CONDITIONS OF APPROVAL, IF ANY:

CONDITIONS OF APPROVAL ATTACHED
TO OPERATOR'S COPY

NOTICE OF APPROVAL

*See Instructions On Reverse Side


Utah State Oil & Gas



FORM F-106

Map 1-A
Sureyers Plat

R. 25 E.

T.
16
S.

Scale... 1" = 1000'

Powers Elevation Company, Inc. of Denver, Colorado
has in accordance with a request from JIM SHEERARD
for TEXAS OIL & GAS COMPANY
determined the location of #1 ARCO - FEDERAL - B
to be 800' ES & 800' FE Section 6 Township 16 S.
Range 25 E. OF THE SALT LAKE — Meridian
GRAND County, UTAH

I hereby certify that this plat is an
accurate representation of a correct
survey showing the location of

Date: 9-6-79

T. Nelson
Licensed Land Surveyor No. 2711
State of UTAH

9-331-C ADDENDUM
TXO ARCO-FEDERAL "B" #1
Section 6-T16S-R25E
Grand County, Utah

1. SURFACE FORMATION: Tertiary Wasatch
2. ESTIMATED FORMATION TOPS: Wasatch-Surface
Mesa Verde 575'
Castlegate 2486'
Mancos 2586'
Dakota Silt 5998'
Dakota 6058'
Morrison 6222'
Entrada 6866'
TD 6950'
3. ESTIMATED DEPTH AT WHICH OIL, GAS, WATER OR OTHER MINERAL BEARING ZONES ARE EXPECTED TO BE ENCOUNTERED:

Possible Castlegate water at 2486'
Expected gas zones: Dakota-6068'; Dakota Buckhorn-6176';
Entrada-6866'
4. CASING PROGRAM AS PER FORM 9-331-C.
5. PRESSURE CONTROL EQUIPMENT:
 - a. After surface csg is set, a double ram type blow out preventer with blind rams and pipe rams will be installed with minimum working pressure of 2000 psi.
 - b. A control choke and fill and kill lines with minimum working pressure of 2000 psi will be installed.
 - c. A rotating pack off head will be installed above the blow out preventer to control flow while drilling with air or gas.
 - d. The equipment in a. and b. will be pressure tested to 1500 psi before drilling surface pipe cmt, and the blow out preventer will be tested for operation daily and during trips.
 - e. A sketch of the proposed installation is attached (Exhibit #4).
6. MUD PROGRAM:
 - 0 - 350' Water & gel as required to maintain hole to set surface pipe.
 - 350 - 6970' Air or gas.

Note: Excess gas flow or other hole problems may require use of mud drilling. Mud materials will be maintained on location to build muds with wt 8.7-8.9#/gal, vis of 30-40 sec. API.
7. AUXILLIARY EQUIPMENT:
 - a. A kelly cock will be used.
 - b. A float valve will be run in the drill string above the bit.
 - c. A sub with full opening valve will be kept on derrick floor to stab into the DP when kelly is not in use.

8. CORING, LOGGING AND TESTING:

- a. No coring is anticipated.
- b. GR induction
SNP-FDC-GR


9. ABNORMAL CONDITIONS:

- a. No abnormal pressures or temperatures are expected.
- b. No hazardous gas such as H₂S is expected.
- c. While drilling with gas or air, return fluids will be directed through the blow line to reserve pit at a point 125' from the well head. All open fires or ignition sources will be prohibited on location while gas or air drilling. A pilot flame will be maintained at the end of the blow line to insure burning of return gasses which are combustible.

10. ANTICIPATED STARTING DATE:

Start location construction	-	Sept. 26, 1979
Move in drilling rig	-	Sept. 29, 1979
Drilling time	-	Approx. 10 days
Completion time	-	Approx. 10 days
Complete operations	-	Approx. Oct. 30, 1979

11. Productive zones will be perforated, tested, treated as necessary. Gas will be flared during testing. Produced water will be contained in the unlined drilling reserve pit. The extent of treatment, as warranted, of a zone (acidizing and/or fracing) can only be determined after the zone has been tested. A completion program will be furnished after drilling and logging.



United States Department of the Interior
Geological Survey
8440 Federal Building
Salt Lake City, Utah 84138

Usual Environmental Analysis

Lease No. U-9831 (Expires Sept. 30, 1979)Operator Texas Oil & Gas Corp.Well No. "B"#1Location 790' FSL 780' FEL Sec. 6 T. 16S R. 25ECounty Grand State Utah Field San ArroyoStatus: Surface Ownership Public Minerals FederalJoint Field Inspection Date September 24, 1979

Participants and Organizations:

Bob CurshawBureau of Land ManagementJohn EvansU. S. Geological SurveyBill BunnigerDirt ContractorDave JohnsonTexas Oil & Gas

Related Environmental Analyses and References:

- (1) Book Mountain Unit Resource Analysis, Bureau of Land Management, Utah
- (2) EA 002-79, 1414, U. S. Geological Survey, Salt Lake City, Utah

Analysis Prepared by: John T. Evans, Environmental Scientist
Grand JunctionDate September 24, 1979

790' FSL 780' FEL
16S 25E
Grand County
Utah
Bureau of Land Management
U. S. Geological Survey
Dirt Contractor
Texas Oil & Gas

Proposed Action:

On September 7, 1979, Texas Oil & Gas filed an Application for Permit to Drill the No. "B" #1 exploratory well, a 6950' gas test of the Dakota and Entrada Formations; located at an elevation of 7320' in the SE/4 SE/4, Sec. 6, T16S, R25E, on Federal mineral lands and Public surface; lease No. U-9831. As an objection was raised to the wellsite, it was moved to 790' FSL & 780' FEL. This did not change the $\frac{1}{4}$ coordinates. There was no objection raised to the access road. Lease expires September 30, 1979.

A rotary rig would be used for the drilling. VECO Rig #4 is anticipated to be used. An adequate casing and cementing program is proposed. Freshwater sands and other mineral-bearing formations would be protected. A Blowout Preventor would be used during the drilling of the well. The proposed pressure rating should be adequate. Details of the operator's NTL-6 10-Point Subsurface Plan is on file in the U.S.G.S. District Office in Salt Lake City, Utah, and the U.S.G.S. Northern Rocky Mountain Area Office in Casper, Wyoming. The 13-Point Surface Protection Plan is on file in the District Office in Salt Lake City, Utah.

A working agreement has been reached with the Bureau of Land Management, the controlling surface agency. Rehabilitation plans would be decided upon as the well neared completion; the Surface Management Agency would be consulted for technical expertise on those arrangements.

The operator proposes to construct a drill pad 165' wide x 300' long and a reserve pit 20' x 100'. A new access road would be constructed 18' wide x 160' long from an existing and improved road. The operator proposes to construct production facilities on disturbed area of the proposed drill pad.

If production is established, plans for a gas flowline would be submitted to the appropriate agencies for approval. The anticipated starting date is September 25, 1979, and duration of drilling activities would be about 30 days. Operator may set surface casing for technical spud with completion of hole within 60 days. Operator advised of the need for Sundry Notice.

Location and Natural Setting:

The proposed drillsite is approximately 34 miles NW of Mack, Colorado, the nearest town. A fair road runs to within 160' of the location. This well is in the San Arroyo Field.

Topography:

The proposed location is in a canyon bottom on the east side of an intermittent wash, known as East Canyon. The drill pad slopes to the north and to the west. Some adjustment to the drill pad was necessary to accommodate the drill pad in the narrow canyon. The NW corner of the drill pad was

cropped to avoid impacting the existing wash. The hole location was moved 20' E and 10' S to allow a minimum of 90' working area between wash and hole. The reserve pit was moved to SE corner of location and made long and narrow.

Geology:

The surface geology is Wasatch. The soil is brown clays derived from weathered Wasatch Formation. No geologic hazards are known near the drill site. Seismic risk for the area is minor. Anticipated geologic tops are file with the 10-Point Subsurface Protection Plan.

Approval of the proposed action would be conditioned that adequate and sufficient electric/radioactive/density logging surveys would be made to locate and identify any potential mineral resources. Production casing and cementing would be adjusted to assure no influence of the hydrocarbon zones through the well bore on these minerals. In the event the well is abandoned, cement plugs would be placed with drilling fluid in the hole to assure protection of any mineral resources.

The potential for loss of circulation would exist. Loss of circulation may result in the lowering of the mud levels, which might permit exposed upper formations to blow out or to cause formation to slough and stick to drill pipe. A loss of circulation would result in contamination due to the introduction of drilling muds, mud chemicals, filler materials, and water deep into the permeable zone, fissures, fractures, and caverns within the formation in which fluid loss is occurring. The use of special drilling techniques, drilling muds, and lost circulation materials may be effective in controlling lost circulation.

A geologic review of the proposed action has been furnished by the Area Geologist, U. S. Geological Survey, Salt Lake City, Utah.

The operator's drilling, cementing, casing and blowout prevention programs have been reviewed by the Geological Survey engineers and determined to be adequate.

Soils:

No detailed soil survey has been made of the project area. The topsoils in the area range from a sandy clay to a clay type soil. The soil is subject to runoff from rainfall and has a high runoff potential and sediment production would be high. The soils are mildly to moderately alkaline and support the salt-desert shrub community. The pinyon-juniper association is also present as well as Douglas fir, oakbrush, and big sagebrush.

Topsoil would be removed from the surface and stockpiled. The soil would be spread over the surface of disturbed areas when abandoned to aid in rehabilitation of the surface. Rehabilitation is necessary to prevent erosion and encroachment of undesired species on the disturbed areas. The operator proposes to rehabilitate the location and access roads per the recommendations of the Bureau of Land Management.

Approximately two acres of land would be stripped of vegetation. This would increase the erosional potential. Proper construction practice, construction of water bars, reseeding of slope-cut area would minimize this impact.

Air:

No specific data on air quality is available at the proposed location. There would be a minor increase in air pollution due to emissions from rig and support traffic engines. Particulate matter would increase due to dust from travel over unpaved dirt roads. The potential for increased air pollution due to leaks, spills, and fire would be possible.

Relatively heavy traffic would be anticipated during the drilling-operations phase, increasing dust levels and exhaust pollutants in the area. If the well was to be completed for production, traffic would be reduced substantially to a maintenance schedule with a corresponding decrease of dust levels and exhaust pollutants to minor levels. If the project results in a dry hole, all operations and impact from vehicular traffic would cease after abandonment. Due to the limited number of service vehicles and limited time span of their operation, the air quality would not be substantially reduced.

Toxic or noxious gases would not be anticipated. Operator proposes to control dust from air drilling operations.

Precipitation:

Annual rainfall should range from about 12 to 15" at the proposed location. The majority of the numerous drainages in the surrounding area are of a non-perennial nature flowing only during early spring runoff and during extremely heavy rainstorms.

Winds are medium and gusty, occurring predominantly from west to east. The climate is semiarid with abundant sunshine, hot summers and cold winters with temperature variations on a daily and seasonal basis.

Surface Water Hydrology:

The proposed location is near top of drainage system for East Canyon. A 24" culvert would be placed in canyon bottom and covered with approximately 100 cubic yards of dirt to allow access to drill pad. It is possible that abnormal rainfall may cause culvert to be washed out with corresponding decrease in water quality. Some additional erosion would be expected in the area since surface vegetation would be removed. If erosion became serious, drainage systems such as water bars and dikes would be installed to minimize the problem. The proposed project should have minor impact on the surface water systems. The potentials for pollution would be present from leaks or spills. The operator is required to report and clean up all spills or leaks.

Groundwater Hydrology:

Some minor pollution of groundwater systems would occur with the introduction of drilling fluids (filtrate) into the aquifer. This is

normal and unavoidable during rotary drilling operations. The potential for communication, contamination, and commingling of formations via the well bore would be possible. The drilling program is designed to prevent this. There is need for more data on hydrologic systems in the area and the drilling of this well may provide some basic information as all shows of fresh water would be reported. Water production with the gas would require disposal of produced water per the requirements of NTL-2B. The depths of freshwater formations are listed in the 10-Point Subsurface Protection Plan. The pits would be unlined. If fresh water should be available from the well, the owner or surface agency may request completion as a water well if given approval. There are two springs in general area. No impacts to this resource are anticipated.

Vegetation:

Plants in the area are of the salt-desert shrub types grading to the pinyon-juniper association. Douglas fir, oakbrush and big sagebrush are also present.

Proposed action would remove about two acres of vegetation. Removal of vegetation would increase the erosional potential and there would be a minor decrease in the amount of vegetation available for grazing.

The operator proposes to rehabilitate the surface upon completion of operations.

Wildlife:

Animal and plant inventory has been made by the BLM. No endangered plants or animals are known to inhabit the project area. The fauna of the area consists predominantly of mule deer, coyotes, rabbits, foxes, and varieties of small ground squirrels and other types of rodents and various types of reptiles. The area is used by man for the primary purpose of grazing domestic livestock and sheep. The birds of the area are raptors, finches, ground sparrows, magpies, crows, and jays.

Social-Economic Effect:

An on the ground surface archaeological reconnaissance would be required prior to approval of the proposed action. Appropriate clearances would then be obtained from the surface managing agency. If a historic artifact, an archaeological feature or site is discovered during construction operations, activity would cease until the extent, the scientific importance, and the method of mitigating the adverse effects could be determined by a qualified cultural resource specialist.

There are no occupied dwellings or other facilities of this nature in the general area. Minor distractions from aesthetics would occur over the lifetime of the project and are judged to be minor. All permanent facilities placed on the location would be painted a color to blend in

with the natural environment. Present use of the area is grazing, recreation, and oil and gas activities.

Noise from the drilling operation may temporarily disturb wildlife and people in the area. Noise levels would be moderately high during drilling and completion operations. Upon completion, noise levels would be infrequent and significantly less. If the area is abandoned, noise levels should return to pre-drilling levels.

The site is visible from East Canyon County Road.

The overall effect of oil and gas drilling and production activity is significant in Grand County but it is difficult to assess the environmental impact of a single well on state and/or national levels. However, if said well was to produce in sufficient quantity, additional development wells might be anticipated. This additional development, in turn, would lead to greater environmental and socioeconomic consequences.

Should the wellsite be abandoned, surface rehabilitation would be done according to the surface agency requirements and to USGS's satisfaction. This would involve leveling, contouring, reseeding, etc., of the location and possibly the access road. If the well should produce hydrocarbons, measures would be undertaken to protect wildlife and domestic stock from the production equipment.

There are no national, state, or local parks, forests, wildlife refuges or ranges, grasslands, monuments, trails or other formally designated recreational facilities near the proposed location.

The proposed location is within the Book Mountain Planning Unit. This Environmental Assessment Record was compiled by the Bureau of Land Management, the surface managing agency of the Federal surface in the area. The study includes additional information on the environmental impact of oil and gas operations in this area and gives land use recommendations. The E.A.R. is on file in the agency's State offices and is incorporated herein by reference.

Waste Disposal:

The mud and reserves pits would contain all fluids used during the drilling operations. A trash pit would be utilized for any solid wastes generated at the site and would be buried at the completion of the operations. Sewage would be handled according to State sanitary codes. For further information, see the 13-Point Surface Plan.

Alternatives to the Proposed Action:

1) Not Approving the Proposed Permit--The Oil and Gas Lease grants the lessee exclusive right to drill for, mine, extract, remove and dispose of all oil and gas deposits. Under leasing provisions, the Geological Survey has an obligation to allow mineral development if the environmental

consequences are not too severe or irreversible. Upon rehabilitation of the site, the environmental effects of this action would be substantially mitigated, if not totally annulled. Permanent damage to the surface and subsurface would be prevented as much as possible under U.S.G.S. and other controlling agencies' supervision with rehabilitation planning reversing almost all effects. Additionally, the growing scarcity of oil and gas should be taken into consideration.

2) Minor relocation of the wellsite, restrictive stipulations or modifications to the proposed program would reduce the environmental impact. There are no severe vegetative, animal or archaeological-historical-cultural conflicts at the site. At abandonment, normal rehabilitation of the area such as contouring, reseeding, etc., would be undertaken with an eventual return to the present status as outlined in the 13-Point Surface Plan.


Mitigative Measures:

The following mitigative measures are recommended:

- 1) Location of hole moved 20' east, 10' south to allow more room on dog house side of rig.
- 2) North corner constructed in such a manner as to avoid wash.
- 3) Reserve pit made long and narrow (20' x 100') and moved south.
- 4) 24" culvert to be installed in East Canyon Wash. **May be inadequate - operator agrees to enlarge if necessary.
- 5) Sundry Notice required for off pad production facilities.

Adverse Environmental Effects Which Cannot Be Avoided:

Surface disturbance and removal of vegetation from approximately two acres of land surface for the lifetime of the project which would result in increased and accelerated erosional potential. Grazing would be eliminated in the disturbed areas and there would be a minor and temporary disturbance of wildlife and livestock. Minor induced air pollution due to exhaust emissions from rig engines of support traffic engines would occur. Minor increase in dust pollution would occur due to vehicular traffic associated with the operation. If the well is a gas producer, additional surface disturbance would be required to install production pipelines. The potential for fires, leaks, spills of gas, oil or water would exist. During the construction and drilling phases of the project, noise levels would increase. Potential for subsurface damage to freshwater aquifers and other geologic formations exists. Minor distractions from aesthetics during the lifetime of the project would exist. If the well is a producer, an irreplaceable and irretrievable commitment of resources would be made. Erosion from the site would eventually be carried as sediment in the



Colorado River. The potential for pollution to East Canyon Wash would exist through leaks and spills.


If well is a producer, other development wells would be anticipated with substantially greater environmental and economic impacts.


Determination:

This requested action does not constitute a major Federal action significantly affecting the environment in the sense of NEPA, Sec. 102(2)(C).

Date

9/25/79


District Engineer
U. S. Geological Survey
Conservation Division
Oil and Gas Operations
Salt Lake City District



TEXAS OIL & GAS
"B" #1
sec 6, T16S R25E
WASH APPROX 12' DEEP
- 24" diameter
EAST CANYON
9-24-79



TEXAS OIL & GAS
"B" #1
sec 6, T16S R25E
9-24-79

** FILE NOTATIONS **

DATE: Sept 27, 1979

Operator: Texas Oil and Gas Corporation

Well No: TXO - Arco Federal - "B" - #1

Location: Sec. 6 T. 16S R. 25E County: Grand

File Prepared: ☒

Entered on N.I.D.: ☒

Card Indexed: ☒

Completion Sheet: ☒

☒ API Number 43-019-30552

CHECKED BY:

Geological Engineer: _____

Petroleum Engineer: _____

Director: _____

APPROVAL LETTER:

Bond Required: ☐

Survey Plat Required: ☐

Order No. 149-1 3/14/73

O.K. Rule C-3 ☐

Rule C-3(c), Topographic Exception/company owns or controls acreage
within a 660' radius of proposed site ☐

Lease Designation Fed

Plotted on Map ☒

Approval Letter Written ☒

btm

#3
PI nl

September 27, 1979

Texas Oil and Gas Corporation
1800 Lincoln Center Building
Denver, Colorado 80264

Re: Well No. TXO-Arco Federal "B"-#1
Sec. 6, T. 16S, R. 25E.,
Grand County, Utah

Insofar as this office is concerned, approval to drill the above referred to gas well is hereby granted in accordance with the Order issued in Cause No. 149-1 dated March 14, 1973.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify one of the following:

MICHAEL T. MINDER
Geological Engineer
Office: 533-5771
Home: 876-3001

FRANK M. HANNER
Chief Petroleum Engineer
Office: 533-5771
Home: 531-7827

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The RPT number assigned to this well is 43-019-30552.

Sincerely,

DIVISION OF OIL, GAS AND MINING


Michael T. Minder
Geological Engineer

/b:tm

cc: USGS

FILE IN TRIPLICATE
FORM OGC-8-X

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
1588 West North Temple
Salt Lake City, Utah 84116



REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number TXO Arco Federal "B" #1
Operator Texas Oil & Gas Corp. Address 1800 Lincoln Center Bldg., Denver, CO
Contractor ATCO (Rig 18) Address 3515 S. Tamarac, Ste 230, Denver, CO
Location SE 1/4 SE 1/4 Sec. 6 T. 16S R. 25E County Grand

Water Sands

	<u>Depth</u>		<u>Volume</u>	<u>Quality</u>
	From	To	Flow Rate or Head	Fresh or Salty
1.	1140'	?	Mist	Salty
2.				
3.				
4.				
5.				

(Continue on reverse side if necessary)

Formation Tops

Remarks Unable to determine bottom of water producing interval. Hole was drilled from 1162' to 2694' with mud.

- NOTE: (a) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.
(b) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other in-
structions on
reverse side)Form approved
Budget Bureau No. 42-R355.5.

16

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> Other _____				5. LEASE DESIGNATION AND SERIAL NO. U-9831																									
b. TYPE OF COMPLETION: NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEP-EN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> Other _____				6. IF INDIAN, ALLOTTEE OR TRIBE NAME																									
2. NAME OF OPERATOR Texas Oil & Gas Corp.				7. UNIT AGREEMENT NAME																									
3. ADDRESS OF OPERATOR 1800 Lincoln Center Bldg., Denver, CO 80264				8. FARM OR LEASE NAME Arco Federal B																									
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 790' FSL, 780' FEL SE SE At top prod. interval reported below At total depth				9. WELL NO. 1																									
14. PERMIT NO. 43-019-30552				DATE ISSUED 9-25-79																									
15. DATE SPUDDED 9-30-79		16. DATE T.D. REACHED 10-13-79		17. DATE COMPL. (Ready to prod.) 12-9-79																									
20. TOTAL DEPTH, MD & TVD 6730'		21. PLUG, BACK T.D., MD & TVD 6500'		22. IF MULTIPLE COMPL., HOW MANY* -																									
23. INTERVALS DRILLED BY 0'-6730'				24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 6171'-6189' Dakota 6090'-6123' Dakota																									
25. TYPE ELECTRIC AND OTHER LOGS RUN EDC, SNP, IES , GR, Cal.				26. WAS WELL CORED Yes																									
27. CASING RECORD (Report all strings set in well)																													
<table border="1" style="width:100%"><thead><tr><th>CASING SIZE</th><th>WEIGHT, LB./FT.</th><th>DEPTH SET (MD)</th><th>HOLE SIZE</th><th>CEMENTING RECORD</th><th>AMOUNT PULLED</th></tr></thead><tbody><tr><td>9 5/8"</td><td>36#</td><td>361'</td><td>12 1/4"</td><td>200 SX</td><td>-</td></tr><tr><td>7"</td><td>20#</td><td>2694'</td><td>8 3/4"</td><td>100 SX</td><td>-</td></tr><tr><td>4 1/2"</td><td>11.6#</td><td>6716'</td><td>6 1/4"</td><td>110 SX</td><td>-</td></tr></tbody></table>						CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED	9 5/8"	36#	361'	12 1/4"	200 SX	-	7"	20#	2694'	8 3/4"	100 SX	-	4 1/2"	11.6#	6716'	6 1/4"	110 SX	-
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED																								
9 5/8"	36#	361'	12 1/4"	200 SX	-																								
7"	20#	2694'	8 3/4"	100 SX	-																								
4 1/2"	11.6#	6716'	6 1/4"	110 SX	-																								
28. LINER RECORD																													
<table border="1" style="width:100%"><thead><tr><th>SIZE</th><th>TOP (MD)</th><th>BOTTOM (MD)</th><th>SACKS CEMENT*</th><th>SCREEN (MD)</th></tr></thead><tbody><tr><td>None</td><td></td><td></td><td></td><td></td></tr></tbody></table>						SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	None																		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)																									
None																													
29. TUBING RECORD																													
<table border="1" style="width:100%"><thead><tr><th>SIZE</th><th>DEPTH SET (MD)</th><th>PACKER SET (MD)</th></tr></thead><tbody><tr><td>2 3/8"</td><td>6015'</td><td>None</td></tr></tbody></table>						SIZE	DEPTH SET (MD)	PACKER SET (MD)	2 3/8"	6015'	None																		
SIZE	DEPTH SET (MD)	PACKER SET (MD)																											
2 3/8"	6015'	None																											
30. PERFORATION RECORD (Interval, size and number)																													
<table border="1" style="width:100%"><tbody><tr><td>6599'-6611'</td><td>1/4"</td><td>7 holes</td><td>6171'-6192'</td></tr><tr><td>6539'-6551'</td><td>1/4"</td><td>7 holes</td><td>1/4" 88 holes</td></tr><tr><td>6171'-6189'</td><td>.35"</td><td>19 holes</td><td></td></tr><tr><td>6090'-6123'</td><td>.35"</td><td>34 holes</td><td></td></tr><tr><td>6171'-6189'</td><td>1/4"</td><td>136 holes</td><td></td></tr></tbody></table>						6599'-6611'	1/4"	7 holes	6171'-6192'	6539'-6551'	1/4"	7 holes	1/4" 88 holes	6171'-6189'	.35"	19 holes		6090'-6123'	.35"	34 holes		6171'-6189'	1/4"	136 holes					
6599'-6611'	1/4"	7 holes	6171'-6192'																										
6539'-6551'	1/4"	7 holes	1/4" 88 holes																										
6171'-6189'	.35"	19 holes																											
6090'-6123'	.35"	34 holes																											
6171'-6189'	1/4"	136 holes																											
31. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.																													
<table border="1" style="width:100%"><thead><tr><th>DEPTH INTERVAL (MD)</th><th>AMOUNT AND KIND OF MATERIAL USED</th></tr></thead><tbody><tr><td>6599'-6551'</td><td>1500 gal MSR-100</td></tr><tr><td>6171'-6189'</td><td>1000 gal 15% MSR</td></tr><tr><td>6171'-6189'</td><td>26,000# sd, 27,500 gal foam</td></tr><tr><td>6090'-6123'</td><td>44,500# sd, 38,000 gal foam</td></tr></tbody></table>						DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED	6599'-6551'	1500 gal MSR-100	6171'-6189'	1000 gal 15% MSR	6171'-6189'	26,000# sd, 27,500 gal foam	6090'-6123'	44,500# sd, 38,000 gal foam														
DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED																												
6599'-6551'	1500 gal MSR-100																												
6171'-6189'	1000 gal 15% MSR																												
6171'-6189'	26,000# sd, 27,500 gal foam																												
6090'-6123'	44,500# sd, 38,000 gal foam																												
32. PRODUCTION																													
<table border="1" style="width:100%"><thead><tr><th>DATE FIRST PRODUCTION</th><th>PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)</th><th>WELL STATUS (Producing or shut-in)</th></tr></thead><tbody><tr><td>-</td><td>Flowing</td><td>SI</td></tr></tbody></table>						DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)	-	Flowing	SI																		
DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)																											
-	Flowing	SI																											
33. TEST																													
<table border="1" style="width:100%"><thead><tr><th>DATE OF TEST</th><th>HOURS TESTED</th><th>CHOKE SIZE</th><th>PROD'N. FOR TEST PERIOD</th><th>OIL—BBL.</th><th>GAS—MCF.</th><th>WATER—BBL.</th><th>GAS-OIL RATIO</th></tr></thead><tbody><tr><td>12-8-79</td><td>24</td><td>3/4"</td><td>→</td><td>-</td><td>400</td><td>mist</td><td>-</td></tr></tbody></table>						DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO	12-8-79	24	3/4"	→	-	400	mist	-								
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO																						
12-8-79	24	3/4"	→	-	400	mist	-																						
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)																													
Vented																													
35. LIST OF ATTACHMENTS																													
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records																													
SIGNED <u>P.A. Varela</u> TITLE <u>Manager Drilling & Production</u> DATE <u>12-20-79</u>																													

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22 and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. **Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
Dakota	6185'	6225'	Core #1 6185'-6185.5' Sd Gy Fn-Med Silic Congl Cly 6185.5'-6186' Sd Gy Med-Cse Congl V/Cly 6186'-6186.5" Sd Gy Med-Cse Congl V/Cly 6186.5'-6187' Sd Wh Med-Cse V/Cly 6187'-6187.5" Sd Wh Med V/Cly 6187.5'-6193' Shale - Sandy - No analysis 6193'-6194' Lost Core	Castlegate Mancos Dakota Silt Cedar Mtn. Buckhorn Morrison Salt Wash	2400' 2500' 5986' 6126' 6165' 6192' 6515'	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)


1. oil ☐ well gas ☒ well other
2. NAME OF OPERATOR
TXO Production Corp.
3. ADDRESS OF OPERATOR
1800 Lincoln Center Building Denver, CO 80264
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 800' FSL. 800' FEL Sec. 6-T16S-R25E
AT TOP PROD. INTERVAL: same
AT TOTAL DEPTH: same
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

- | REQUEST FOR APPROVAL TO: | | SUBSEQUENT REPORT OF: | |
|--------------------------|--------------------------|-----------------------|--------------------------|
| TEST WATER SHUT-OFF | <input type="checkbox"/> | | <input type="checkbox"/> |
| FRACTURE TREAT | <input type="checkbox"/> | | <input type="checkbox"/> |
| SHOOT OR ACIDIZE | <input type="checkbox"/> | | <input type="checkbox"/> |
| REPAIR WELL | <input type="checkbox"/> | | <input type="checkbox"/> |
| PULL OR ALTER CASING | <input type="checkbox"/> | | <input type="checkbox"/> |
| MULTIPLE COMPLETE | <input type="checkbox"/> | | <input type="checkbox"/> |
| CHANGE ZONES | <input type="checkbox"/> | | <input type="checkbox"/> |
| ABANDON* | <input type="checkbox"/> | | <input type="checkbox"/> |
- (other) Operator Name Change

5. LEASE
U 9831
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Arco Federal
9. WELL NO.
"B" #1
10. FIELD OR WILDCAT NAME
San Arroyo
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 6 - T16S-R25E
12. COUNTY OR PARISH
Grand
13. STATE
Utah
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
7320' Gr



(NOTE: Report results of multiple completion or zone changes on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give surface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Effective September 1, 1981, the exploration and production activities of Texas Oil & Gas Corp. have been reorganized into a new corporate branch, TXO Production Corp. As a consequence, the operator name for this well is changed to "TXO Production Corp.", as indicated above in Item 2.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Charles K. Curlee TITLE Environmental Adm. DATE _____

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:



UTAH
NATURAL RESOURCES
Oil, Gas & Mining

355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut
84180-1203. • (801-538-5340)

Page 1 of 5

MONTHLY OIL AND GAS PRODUCTION REPORT

Operator name and address:

• TXO PRODUCTION CORP.
P. O. BOX 2690
CODY WY 82414
ATTN: R. P. MEABON

Utah Account No. N1580

Report Period (Month/Year) 12 / 90

Amended Report ☐

Well Name	Producing	Days	Production Volume		
API Number Entity Location	Zone	Oper	Oil (BBL)	Gas (MSCF)	Water (BBL)
BOOK CLIFFS UNIT 1 <u>U-037005</u> 4301915410 06665 18S 22E 32	DKTA✓		Need successor to Unit Oper. (TXO - to Marathon)		
BOOK CLIFFS U #3 <u>U-036905</u> 4301915411 06665 18S 22E 33	DKTA✓				
LITTLE BERRY ST #1 <u>ML-17705-B</u> 4301931075 06666 16S 23E 2	BUKHN✓				
NIGOR FEDERAL #1 <u>U-31807</u> 4301930656 06667 16S 25E 28	DKTA✓				
LAUCK #2 <u>U-34033</u> 4301931109 06668 16S 25E 29	MRSN✓				
BMG FEDERAL #2 <u>U-05015</u> 4301931108 06669 16S 26E 8	DKTA✓				
BLISTER FEDERAL #1 <u>U-38363</u> 4301930857 06671 16S 24E 24	DK-MR✓				
ARCO FEDERAL B-1 <u>U-9831</u> 4301930552 06675 16S 25E 6	DKTA✓				
ARCO FEDERAL C-1 <u>U-6188-B</u> 4301930572 06680 16S 25E 35	DKTA✓				
BMG FEDERAL #3 <u>U-05015-A</u> 4301931114 06681 16S 26E 18	DK-BK✓				
HARVEY FEDERAL 1-X <u>U-10427</u> 4301930574 06685 16S 25E 5	DK-MR✓				
HOUGEN FED. A #1-ST #1 <u>U-42480</u> 4301930799 06686 17S 24E 14	MRSN✓				
LAUCK FED A-1 <u>U-34033</u> 4301930990 06687 16S 25E 29	DKTA✓				
TOTAL					

Comments (attach separate sheet if necessary) _____

I have reviewed this report and certify the information to be accurate and complete.

Date _____

Authorized signature _____

Telephone _____

RECEIVED
JAN 24 1991



**Marathon
Oil Company**

P.O. Box 2690
Cody, Wyoming 82414
Telephone 307/587-4960

DIVISION OF
OIL, GAS & MINING

DRJ
cc R Furth

January 22, 1991

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

UTAH DIVISION OF OIL, GAS & MINING
3 Triad Center, Ste. 350
Salt Lake City, UT 84180-1203
Attention: State Director

Re: The Merger of TXO Production Corp. into
Marathon Oil Company

Gentlemen:

As Marathon Oil Company advised in its October 8, 1990 letter, TXO Production Corp., a Delaware corporation ("TXO") was being merged into Marathon Oil Company, an Ohio corporation ("Marathon"), on or before January 1, 1991. As stated in the October letter, before this merger, both TXO and Marathon were subsidiaries of USX Corporation.

Effective January 1, 1991, TXO was merged into Marathon, with Marathon becoming the surviving corporation, as evidenced by the enclosed Certificate of Merger signed by the Secretary of State for the State of Ohio. Due to this statutory merger, by operation of law, Marathon, as the surviving entity, has succeeded to all of the assets, property, rights, privileges, power and authority, and has assumed all obligations and liabilities of TXO which existed on the date of the merger.

Marathon requests that your records and filings be changed to reflect this merger, including making any appropriate change in your operator or ownership records. For the purposes of any change, mailing or notification, please substitute the following address and phone number for TXO:

Marathon Oil Company
Attention: Mr. R. P. Meabon
1501 Stampede Avenue
P. O. Box 2690
Cody, WY 82414
(307) 587-4961


Utah Division of Oil, Gas & Mining
January 22, 1991
Page 2

Any bond in the name of TXO should be cancelled and all wells and properties shown on the attached Exhibit "A" should be placed on Marathon's statewide bond for the state of Utah.

Marathon respectfully requests that you acknowledge your receipt of this letter by signing the enclosed duplicate original of this letter in the space provided below, and returning it to me in the self-addressed, stamped envelope provided. Also, please provide Marathon with confirmation of the bond cancellations in accordance with the substitution requested above.

Marathon appreciates your patience and cooperation in this matter, and if Marathon can be of any further assistance, please feel free to contact this office.

Sincerely,



R. P. Meabon
Regulatory Coordinator
Rocky Mountain Region
Extension 3003

RPM:mh

Attachments

RECEIVED AND ACCEPTED THIS _____ DAY OF _____,
1991, BY:

[Governmental Agency or Department]

By _____
Name _____
Its _____
Title _____

UNITED STATES OF AMERICA,
STATE OF OHIO,
OFFICE OF THE SECRETARY OF STATE. }

I, Sherrod Brown

do hereby certify that I am the duly elected, qualified and present acting Secretary of State for the State of Ohio, and as such have custody of the records of Ohio and Foreign corporations; that said records show an AGREEMENT OF MERGER of MARATHON PETROLEUM COMPANY, an Ohio corporation, Charter No. 7265, having its principal location in Findlay, County of Hancock, and incorporated on August 1, 1887, and TXO PRODUCTION CORP., a Delaware corporation, having qualified to do business within the State of Ohio on November 2, 1983, under License No. 623328, into MARATHON OIL COMPANY, an Ohio corporation, Charter No. 584981, the survivor of said Merger, filed in this office on December 24, 1990, recorded in the Records of Incorporation. Said surviving corporation, MARATHON OIL COMPANY, an Ohio corporation, Charter No. 584981, having its principal location in Findlay, County of Hancock, was incorporated on November 18, 1981 and is currently in GOOD STANDING upon the records of this office.

WITNESS my hand and official seal at

Columbus, Ohio, this

28th day of December, A.D. 19 90


Sherrod Brown

Sherrod Brown
Secretary of State

DOGM - FYI - From Connie Larson - TAX Commission

Tax Compliance Division



**Marathon
Oil Company**

Findlay, Ohio 45840
Telephone 419/422-2121

January 23, 1991

N1580

TO WHOM IT MAY CONCERN:

Effective immediately after the close of business on December 31, 1990, TXO Production Corporation, taxpayer I.D. 75-1710388, a Delaware Corporation, was merged into Marathon Oil Company, taxpayer I.D. 25-1410539.

Following the merger, all business activity previously conducted by TXO Production Corporation will be conducted by and under the name of Marathon Oil Company.

Marathon Oil Company
Tax Organization

GRL:pah
GRL100T

REC'D USIC P.B.
FEB 14 1991

Send a copy to DOGM 2-21-91

Copy sent to Master
File Mail

1- LCR	<input checked="" type="checkbox"/>
2- DTB	<input checked="" type="checkbox"/>
3- VLC	<input checked="" type="checkbox"/>
4- RJF	<input checked="" type="checkbox"/>
5- RWM	<input checked="" type="checkbox"/>
6- LOR	<input checked="" type="checkbox"/>

Attach all documentation received by the division regarding this change.

Initial each listed item when completed. Write N/A if item is not applicable.

☒ Change of Operator (well sold)

☐ Designation of Agent

☐ Designation of Operator

☐ Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)

TO (new operator) MARATHON OIL COMPANY

FROM (former operator) TXO PRODUCTION CORP.

(address) P. O. BOX 2690

(address) P. O. BOX 2690

CODY, WY 82414

CODY, WY 82414

phone (307) 587-4961

phone (307) 587-4961

account no. N 3490

account no. N1580

Well(s) (attach additional page if needed):

MERGER

Name: <u>**SEE ATTACHED**</u>	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- N/A 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (see documentation)
- See 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). (Rec. 1-24-91)
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) ____ If yes, show company file number: ____.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (2-26-91)
- See 6. Cardex file has been updated for each well listed above.
- See 7. Well file labels have been updated for each well listed above.
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 5, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. *(Federal & State wells only)* (upon completion of routing)
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) yes. Today's date February 27, 1991. If yes, division response was made by letter dated March 1, 1991.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases. *Sent 3-5-91*

FILED

1. All attachments to this form have been microfilmed. Date: March 11 1991.

FILED

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

- 910204 Bfm/mcab No doc. as of yet. (In the process of changing) will call when approved.
Bfm/S.Y. Book Cliffs Unit, Oil Springs Unit, Marble Mansion Unit (Not approved as of yet)
- 910204 St. Lands - No documentation as of yet. (Copy hand delivered 2-8-91) for
- 910222 Bfm/S.Y. - Approved 2-20-91 - OK for DOGM to recognize eff. date 1-1-91. (T. Thompson)
- 910226 St. Lands - Needs additional info. "will take 2-3 weeks". (Proceed with change per DTS)

LONE MOUNTAIN PRODUCTION COMPANY

P.O. BOX 3394
408 PETROLEUM BUILDING
BILLINGS, MONTANA 59103-3394
(406) 245-5077
FAX 248-6321

February 22, 1993

State of Utah
Dept. of Natural Resources
Division of Oil, Gas, & Mining
3 Triad Center, Suite 350
Salt Lake City, Utah 84180

Re: Change of Operator
Sundry Notices
Grand and Uintah Counties, Utah

Gentlemen:

Enclosed in triplicate are Sundry Notices for 53 wells located on Federal lands in Utah for which Lone Mountain Production Company is assuming operations effective February 22, 1993. Two separate lists of the wells and lease numbers, by sorted by BLM district, are attached. The wells were all previously operated by Marathon Oil Company. If any further information is needed please advise either me or Joe Dyk in our Grand Junction office.

Very truly yours,

Lone Mountain Production Company

James G. Routson
James G. Routson
President

Enclosures

xc: Joe Dyk
Marathon

RECEIVED

FEB 25 1993

DIVISION OF
OIL GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Lone Mountain Production Company

3. Address and Telephone No.

P.O. Box 3394, Billings, MT 59103

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

790' FSL, 780' FEL, Sec. 6-T16S-R25E
(SE $\frac{1}{4}$ SE $\frac{1}{4}$)

RECEIVED
FEB 25 1993

DIVISION OF
OIL GAS & MINING

5. Lease Designation and Serial No.

U-9831

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Arco Fed. B No. 1

9. API Well No.

43-019-30552

10. Field and Pool, or Exploratory Area

San Arroyo

11. County or Parish, State

Grand County, Utah

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Change of Operator

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Lone Mountain Production Company has assumed operations of the above referenced well effective February 22, 1993. The former operator was Marathon Oil Company.

Bond Coverage is provided by Lone Mountain's Statewide Oil & Gas BLM Bond No. UT0719.

Field Operations will be handled by our Grand Junction office.

14. I hereby certify that the foregoing is true and correct

Signed James S. Patton

Title Petroleum Engineer

Date Feb. 22, 1993

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)		5. LEASE DESIGNATION & SERIAL NO. See Below
1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
2. NAME OF OPERATOR Marathon Oil Company		7. UNIT AGREEMENT NAME
3. ADDRESS OF OPERATOR P.O. Box 2690, Cody, Wyoming 82414		8. FARM OR LEASE NAME See Below
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface See Below At proposed prod. zone See Below		9. WELL NO. See Below
14. API NO. See Below		10. FIELD AND POOL, OR WILDCAT See Below
15. ELEVATIONS (Show whether DF, RT, GR, etc.)		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA See Below
12. COUNTY Grand and Uintah		13. STATE Utah

RECEIVED

FEB 25 1993

DIVISION OF
OIL GAS & MINING

18. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <input type="checkbox"/>		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	
APPROX. DATE WORK WILL START _____		DATE OF COMPLETION _____	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

* Must be accompanied by a cement verification report.

On 2/22/93 with an effective date of October 1, 1992, Marathon Oil Company sold all of its rights, title and interests shown on Exhibit 'A' and 'B' to:

Lone Mountain Production Company
P.O. Box 3394, 408 Production Building
Billings, Montana 59103-3394

By copy of this sundry notice to Lone Mountain Production Company, Marathon is advising that Lone Mountain Production Company is responsible for operating these leases and wells within the federal and state rules and regulations.

Utah O&G--cc: WRF,RDS,CLB,RPM,KJI,TITLE AND CONTR(HOU),ACCTG.,CFR,LONE MTN. PROD.

18. I hereby certify that the foregoing is true and correct

SIGNED R.P. Meabon TITLE Regulatory Coordinator DATE 2/23/93

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: _____

List of Properties sold by Marathon Oil Company to Lone Mountain Production Company, P.O. Box 3394, 408 Petroleum Building, Billings, Montana 59103-3394

WELL	LOCATION	LEASE	API #
North Horse Point Field			
Little Berry State #1	SW/4 SW/4, Sec. 2-16S-23E	ML-21061	043-019-31075
BAR X West Field			
Hancock Federal #2	NW/4 SW/4, Sec. 5-17S-25E	U-38720	043-019-30833
Bryson Canyon Field			
Hougen Federal A#1- St #1	SW/4 SW/4 Sec. 14-17S-24E	U-42480	043-019-30799
TXO Pogo USA #19-9	NE/4 SE/4, Sec. 15-17S-24E	U-49535	043-019-30779
East Canyon Field			
Callister Federal #1	NW/4 SE/4 Sec. 24-16S-24E	U-38363	043-019-30857
Ptasynski Federal #1	NE/4 NW/4 Sec. 15-17S-23E	U-24603-A	043-019-30780
Horseshoe Bend Field			
Bridle Federal #1	SW/4 SW/4 Sec. 34-6S-22E	U-47866	043-047-31533
Bridle Federal #2	NE/4 SE/4 Sec. 34-6S-22E	U-47866	043-047-31655
Bridle Federal #3	SE/4 NE/4 Sec. 34-6S-22E	U-47866	043-047-31678
Bridle Federal #4	SE/4 NE/4 Sec. 34-6S-22E	U-47866	043-047-31866
Croquet Federal #1	SE/4 NE/4 Sec. 35-6S-21E	U-53862	043-047-31440
Croquet Federal #2	NE/4 SE/4 Sec. 35-6S-21E	U-53862	043-047-31672
Croquet Federal #3	NE/4 NW/4 Sec. 35-6S-21E	U-53862	043-047-31867
Football Fed #29-4	SE/4 SW/4 Sec. 29-6S-21E	U-46699	043-047-31883
Shuffleboard Fed #1	NE/4 NE/4 Sec. 27-6S-21E	U-31255	043-047-31668
Stirrup Fed. #28-1	NW/4 SW/4 Sec. 28-6S-21E	U-34711	043-047-31571
Stirrup Fed. #29-2	NW/4 SE/4 Sec. 29-6S-21E	U-46699	043-047-31508
Stirrup Fed. #29-3	SE/4 SE/4 Sec. 29-6S-21E	U-46699	043-047-31634
Stirrup State #32-1	NW/4 NE/4 Sec. 32-6S-21E	ML-22036	043-047-31557
Stirrup State #32-2	SE/4 NE/4 Sec. 32-6S-21E	ML-22036	043-047-31626
Stirrup State #32-4	NW/4 NE/4 Sec. 32-6S-21E	ML-22036	043-047-31648
Rockhouse Field			
Cracker Fed. #1	SE/4 NE/4 Sec. 8-11S-23E	U-54197	043-047-31532
Cracker Fed. #2	SE/4 SE/4 Sec. 8-11S-23E	U-54197	043-047-31690
Cracker Fed. #3	SW/4 SE/4 Sec. 5-11S-23E	U-54193	043-047-31689
Cracker Fed. #4	SE/4 NE/4 Sec. 7-11S-23E	U-54196	043-047-31748
Marble Mansion #1	SE/4 SE/4 Sec. 18-11S-23E	U-54201	043-047-31865
Wells Fed. A #1	SW/4 SE/4 Sec. 12-11S-23E	U-54198	043-047-31603

San Arroyo Field

Arco Fed. B #1	SE/4 SE/4 Sec. 6-16S-25E	U-9831	043-019-30552
Arco Fed. C #1	NW/4 NW/4 Sec. 35-16S-25E	U-06188-B	043-019-30572
Arco Fed. D #1	NE/4 SE/4 Sec. 34-16S-25E	U-29645	043-019-30578
Arco Fed. H #1	NW/4 SW/4 Sec. 12-16S-25E	U-0126528	043-019-31002
Bennion Fed. #1	NE/4 NW/4 Sec. 30-16S-25E	U-24632	043-019-30893
BMG Fed. #1	NE/4 NW/4 Sec. 8-16S-26E	U-05015	043-019-31017
BMG Fed. #2	SW/4 SW/4 Sec. 8-16S-26E	U-05015	043-019-31108
BMG Fed. #3	SW/4 SW/4 Sec. 8-16S-26E	U-05015-A	043-019-31114
BMG Fed. #4	NW/4 NW/4 Sec. 17-16S-26E	U-05015-A	043-019-31130
BMG Fed. #5	NW/4 SW/4 Sec. 8-16S-26E	U-05015-A	043-019-31131
BMG Fed. #7	NW/4 SE/4 Sec. 17-16S-26E	U-05015-A	043-019-31183
Bookcliffs #1	SE/4 SE/4 Sec. 32-18S-22E	U-036905	043-019-15410
Bookcliffs #3	SW/4 NE/4 Sec. 33-18S-22E	U-036905	043-019-15411
Credo Fed. #1	NE/4 SE/4 Sec. 5-16S-26E	U-24638	043-019-30797
Credo Fed. A #1	SE/4 NW/4 Sec. 5-16S-26E	U-24638	043-019-30798
Grynberg Fed. #1	NE/4 SW/4 Sec. 28-16S-25E	U-13653	043-019-30657
Harvey Fed. #1-X	SW/4 SE/4 Sec. 5-16S-25E	U-10427	043-019-30574
Lauck Fed. A #1	SE/4 SE/4 Sec. 29-16S-25E	U-34033	043-019-30990
Lauck Fed. #2	NW/4 SW/4 Sec. 29-16S-25E	U-34033	043-019-31109
Moxa Fed. #1	SW/4 SW/4 Sec. 9-16S-26E	U-24638	043-019-30698
Moxa Fed. A #1	NE/4 SE/4 Sec. 4-16S-26E	U-24638	043-019-30792
Nicor Fed. #1	NW/4 NE/4 Sec. 28-16S-25E	U-31807	043-019-30656
Nicor Fed. #2	NW/4 NE/4 Sec. 33-16S-25E	U-13653	043-019-31020
Texas Pac St #1	NW/4 SE/4 Sec. 36-16S-25E	ML-4468-A	043-019-30634
Texas Pac St #2	SW/4 SW/4 Sec. 36-16S-25E	ML-4468-A	043-019-30670
Valentine Fed. #1	SE/4 SW/4 Sec. 35-16S-25E	U-38276	043-019-30639
Valentine Fed. #2	SE/4 NW/4 Sec. 34-16S-25E	U-38276	043-019-30640
Valentine Fed. #3	SE/4 SW/4 Sec. 35-16S-25E	U-38276	043-019-31009
Wall Fed. #1	NE/4 SW/4 Sec. 30-16S-25E	U-24632	043-019-30838

Oil Springs Field

Oil Springs #5	NE/4 SW/4 Sec. 5-12S-24E	U-08424-A	043-047-15930
Oil Springs #7	SE/4 SW/4 Sec. 4-12S-24E	U-08424-A	043-047-31248
Oil Springs #10	NE/4 NE/4 Sec. 5-12S-24E	U-08424-A	043-047-31656

Evacuation Creek Field

Evacuation Creek State A #1	NE/4 NE/4 Sec. 2-12S-25E	ML-28043	043-047-31674
Evacuation Cr. #23-2-1	NE/4 SW/4 Sec. 2-12S-25E	ML-28043	043-047-15675
Evacuation Creek State #1	SE/4 SW/4 Sec. 36-11S-25E	ML-39868	043-047-31307

UTAH FEDERAL WELLS

MOAB BLM DISTRICT

<u>WELL</u>	<u>LEASE NO.</u>	<u>LOCATION</u>
Bookcliffs Unit No. 1	U-036905	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 32-T18S-R22E
Bookcliffs Unit No. 3	U-036905	Sw $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 33-T18S-R22E
Hancock Fed. No. 2	U-38720	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 5-T17S-R25E
Hougen Fed. No. A-1	U-42480	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 14-T17S-R24E
TXO-POGO-USA No. 15-9	U-49535	NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 15-T17S-R24E
Callister Fed. No. 1	U-38363	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 24-T16S-R24E
Ptasynski Fed. No. 1	U-24603-A	NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 15-T17S-R23E
Arco Fed. B No. 1	U-9831	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 6-T16S-R25E
Arco Fed. C No. 1	U-06188-B	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 35-T16S-R25E
Arco Fed. D No. 1	U-29645	NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 34-T16S-R25E
Arco Fed. H No. 1	U-0126528	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 12-T16S-R25E
Grynberg Fed. No. 1	U-13653	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 28-T16S-R25E
Lauck Fed. A No. 1	U-34033	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 29-T16S-R25E
Lauck Fed. No. 2	U-34033	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 29-T16S-R25E
Nicor Fed. No. 1	U-31807	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 28-T16S-R25E
Nicor Fed. No. 2	U-13653	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. ²⁹ 33 -T16S-R25E
Valentine Fed. No. 1	U-38276	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 35-T16S-R25E
Valentine Fed. No. 2	U-38276	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 34-T16S-R25E
Valentine Fed. No. 3	U-38276	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 35-T16S-R25E
Wall Fed. No. 1	U-24632	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 30-T16S-R25E
Bennion Fed. No. 1	U-24632	NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 30-T16S-R25E
Harvey Fed. No. 1-X	U-10427	Sw $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 5-T16S-R25E

UTAH FEDERAL WELLSMOAB BLM DISTRICT

<u>WELL</u>	<u>LEASE NO.</u>	<u>LOCATION</u>
BMG Fed. No. 1	U-05015	NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 8-T16S-R26E
BMG Fed. No. 2	U-05015	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 8-T16S-R26E
BMG Fed. No. 3	U-05015-A	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 18-T16S-R26E
BMG Fed. No. 4	U-05015-A	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 17-T16S-R26E
BMG Fed. No. 5	U-05015-A	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 18-T16S-R26E
BMG Fed. No. 7	U-05015-A	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 17-T16S-R26E
Credo Fed. No. 1	U-24638	NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 5-T16S-R26E
Credo Fed. A No. 1	U-24638	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 5-T16S-R26E
Moxa Fed. No. 1	U-24638	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 9-T16S-R26E
Moxa Fed. A No. 1	U-24638	NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 4-T16S-R26E

RECEIVED

FEB 25 1993

UTAH FEDERAL WELLS

VERNAL BLM DISTRICT

DIVISION OF
OIL GAS & MINING

<u>WELL</u>	<u>LEASE NO.</u>	<u>LOCATION</u>
Shuffleboard Fed. No. 1	U-31255	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 27-T6S-R21E
Stirrup Fed. No. 28-1	U-34711	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 28-T6S-R21E
Stirrup Fed. No. 29-2	U-46699	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 29-T6S-R21E
Stirrup Fed. No. 29-3	U-46699	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 29-T6S-R21E
Football Fed. No. 29-4	U-46699	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 29-T6S-R21E
Croquet Fed. No. 1	U-53862	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 35-T6S-R21E
Croquet Fed. No. 2	U-53862	NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 35-T6S-R21E
Croquet Fed. No. 3	U-53862	NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 35-T6S-R21E
Bridle Fed. No. 1	U-47866	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 34-T6S-R22E
Bridle Fed. No. 2	U-47866	NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 34-T6S-R22E
Bridle Fed. No. 3	U-47866	SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 34-T6S-R22E
Bridle Fed. No. 4	U-47866	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 34-T6S-R22E
Cracker Fed. No. 1	U-54197	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 8-T11S-R23E
Cracker Fed. No. 2	U-54197	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 8-T11S-R23E
Cracker Fed. No. 3	U-54193	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 5-T11S-R23E
Cracker Fed. No. 4	U-54196	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 7-T11S-R23E
Marble Mansion Unit #1	U-54201	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 18-T11S-R23E
Wells Fed. A No. 1	U-54198	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 12-T11S-R23E
Oil Springs Unit #5	U-08424-A	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 5-T12S-R24E
Oil Springs Unit #7	U-08424-A	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 4-T12S-R24E
Oil Springs Unit #10	U-08424-A	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 5-T12S-R24E

UTAH STATE WELLS

<u>WELL</u>	<u>LEASE NO.</u>	<u>LOCATION</u>
Texas Pacific No. 1	ML-4468-A	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 36-T16S-R25E Grand County
Texas Pacific No. 2	ML-4468-A	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 36-T16S-R25E Grand County
Little Berry No. 1	ML-21061	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 2-T16S-R23E Grand County
Evacuation Creek No. 1	ML-39868	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 36-T11S-R25E Uintah County
Evacuation Creek A No. 1	ML-28043	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 2-T12S-R25E Uintah County
Evacuation Creek 23-2-1	ML-28043	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 2-T12S-R25E Uintah County
Stirrup No. 32-1	ML-22036	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 32-T6S-R21E Uintah County
Stirrup No. 32-2	ML-22036	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 32-T6S-R21E Uintah County
Stirrup No. 32-4	ML-22036	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 32-T6S-R21E Uintah County

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1-LEC	7-LEC
2-DTS	TS
3-VLC	
4-RJF	
5-RWM	
6-ADA	

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

☒ Change of Operator (well sold) ☐ Designation of Agent
☐ Designation of Operator ☐ Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 2-22-93)

TO (new operator) LONE MTN PRODUCTION CO
(address) PO BOX 3394
BILLINGS MT 59103-3394
phone (406) 245-5077
account no. N 7210

FROM (former operator) MARATHON OIL COMPANY
(address) PO BOX 2690
CODY WY 82414
phone (307) 587-4961
account no. N 3490

Well(s) (attach additional page if needed):

Name: **SEE ATTACHED**	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- lec 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(Rec'd 2-25-93)*
- lec 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Rec'd 2-25-93)*
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) ____ If yes, show company file number: _____.
- lec 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- lec 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(3-16-93)*
- lec 6. Cardex file has been updated for each well listed above. *(3-16-93)*
- lec 7. Well file labels have been updated for each well listed above. *(3-16-93)*
- lec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(3-16-93)*
- lec 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) no. Today's date 3/17/93 1993. If yes, division response was made by letter dated 3/17/93 1993.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 3/17/93 1993, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases.

MICROFILMING

1. All attachments to this form have been microfilmed. Date: March 25 1993.

FILED

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

930316 BLM/Moab Approved 3-10-93 eff. 2-22-93.

(Other wells will be handled on a separate change - partial change only!)

St. Lease wells also being chg'd at this time.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

U-9831

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Arco Fed. B No. 1

9. API Well No.

43-019-30552

10. Field and Pool, or Exploratory Area

San Arroyo

11. County or Parish, State

Grand County, Utah

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Lone Mountain Production Company

3. Address and Telephone No.

P.O. Box 3394, Billings, MT 59103

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

790' FSL, 780' FEL, Sec. 6-T16S-R25E
(SE $\frac{1}{4}$ SE $\frac{1}{4}$)

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Change of Operator

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Lone Mountain Production Company has assumed operations of the above referenced well effective February 22, 1993. The former operator was Marathon Oil Company.

Bond Coverage is provided by Lone Mountain's Statewide Oil & Gas BLM Bond No. UT0719.

Field Operations will be handled by our Grand Junction office.

RECEIVED

MAR 15 1993

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed James S. Rantson

Title Petroleum Engineer

Date Feb. 22, 1993

(This space for Federal or State office use)

/s/ Brent Northrup

Assistant District Manager
ACTING Title for Minerals

Approved by
Conditions of approval, if any:

Date MAR 11 1993
MAR 10 1993

CONDITIONS OF APPROVAL ATTACHED

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

Lone Mountain Production Company
Well No. ARCO Fed. B-1
SESE Sec. 6, T. 16 S., R. 25 E.
Grand County, Utah
Lease U-9831

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Lone Mountain Production Company is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by UT0719 (Principal - Lone Mountain Production Company) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

RECEIVED

MAR 15 1993

DIVISION OF
OIL GAS & MINING